



NIAGARA

**General Catalogue
Catálogo General
Catalogue général**



NIAGARA

FUTURE INTELLIGENT PUMPS



North America:

Head Office, Canada:

- 📍 Address: 4 Laurier Ave, Milton, Postal Code: L9T4V2, Ontario, Canada.
- ☎ Tel: +1 (514) 550 5578
- ✉ Email: sales@niagarapumps.ca

USA:

- 📍 Address: 8450 Cambridge street zip code 77054 Houston Texas.
- ☎ Tel: +1 (713) 363 1585
- ✉ Email: usa@niagarapumps.ca



Europe:

Sweden:

- 📍 Address: Lisa sass Gatan 12 Gothenburg – Sweden.
- ☎ Tel: +4 (670) 099 1626
- ✉ Email: sweden@niagarapumps.ca

Turkey:

- 📍 Address: FATIH MAH URFALILAR CAD, NO 9A, Esenyurt, Istanbul-Turkey.
- ☎ Tel: +9 (537) 523 9069
- ✉ Email: turkey@niagarapumps.ca



Middle East:

- 📍 Address: Liwara 1, Shaikh Rashid Bin Humaid St. Ajman, UAE
- ☎ Tel: +9 (715) 5269 3552
- ✉ Email: uae@niagarapumps.ca

SD

n ≈ 2900 rpm

Deep well pump
Bomba de pozo profundo
Pompe de puits profond



MODEL CODE/CÓDIGO MODELO/CODE MODÈLE

For example/Par ejemplo/Par exemple
3 SD (M) 2 / 8

- 3 = Well size (inch)
Tamaño de pozo (inch)
Taille du puits (inch)
- SD = Deep well pump
Bomba de pozo profundo
Pompe de puits profond
- M = 1 phase / Monofásico / Monophasé
Blank = 3 phase / Trifásico / Triphasé
- 2 = Rated flow (m³/h)
Caudal nominal (m³/h)
Débit nominal (m³/h)
- 8 = Stage / Etapa / Étape

MATERIAL DESCRIPTION/DESCRIPCIÓN DE MATERIAL/DESCRIPTION DU MATÉRIEL

No.	Item Artículo Article	Material Material Matériel
1	Pump Case Cuerpo Boîtier	SS304 Inox 304 Inox 304
2	Delivery Entrega Livraison	Cast-Cu/SS304 Cast-Cu/Inox 304 Cast-Cu/Inox 304
3	Suction Succión Aspiration	Cast-Cu/SS304 Cast-Cu/Inox 304 Cast-Cu/Inox 304
4	Diffuser Difusor Diffuseur	Plastic Plástico Plastique
5	Impeller Impulsor Roue	Plastic Plástico Plastique
6	Pump Shaft Bomba Eje Pompe Arbre	SS304 Inox 304 Inox 304
7	Motor Case Cuerpo Boîtier	SS304 Inox 304 Inox 304
8	Top chock Calzo superior Cale supérieure	Cast-Cu/SS420/Cast iron Cast-Cu/Inox 420/Fundición Cast-Cu/Inox 420/Fonte
9	Bottom support Soporte inferior Appui inférieur	SS304 Inox 304 Inox 304
10	Mechanical Seal Cierre Mecánico Garniture mécanique	Ceramic-Carbon Cerámico-Grafito Céramique-Carbon
11	Motor Shaft Motor Eje Motor Arbre	SS304 Inox 304 Inox 304

TECHNICAL DATA/DATOS TÉCNICOS/DONNÉES TECHNIQUES

50 Hz n≈2900 l/min

MODEL MODELO MODÈLE	DN	Power Potencia Puissance	Q=DELIVERY/CAUDAL/DÉBIT																	
			GPM 0	0.5	1.1	1.3	2.1	2.6	3.1	3.2	3.7	4.2	5.3	6.6	7.9	8.8	9.3	10.6		
1-ph	3-ph	inch	kw	hp	m ³ /h 0	0.12	0.24	0.3	0.48	0.6	0.7	0.72	0.84	0.96	1.2	1.5	1.8	2	2.1	2.4
			H=Head/Altura/Hauteur(m)																	
2SDM0.7/26	-	0.5"/0.75"	0.18	0.25	35	32	30	29	26	23	21	20	16	12	-	-	-	-	-	-
2SDM0.7/32	-	0.5"/0.75"	0.25	0.33	43	40	37	36	32	29	25	24	20	15	-	-	-	-	-	-
2SDM0.7/38	-	0.5"/0.75"	0.37	0.5	51	47	44	43	38	34	30	29	24	18	-	-	-	-	-	-
2.5SDM2/12	-	1"	0.18	0.25	33	-	-	30	29	28	27	27	26	26	23	20	17	13	11	5
2.5SDM2/17	-	1"	0.25	0.33	46	-	-	42	40	39	38	38	37	36	33	29	24	19	16	7
2.5SDM2/24	-	1"	0.37	0.5	65	-	-	60	57	56	54	54	53	51	46	40	33	26	22	10
2.5SDM2/31	-	1"	0.55	0.75	84	-	-	77	74	72	70	70	68	66	60	52	43	34	29	13

MODEL MODELO MODÈLE	DN	Power Potencia Puissance	Q=DELIVERY/CAUDAL/DÉBIT																	
			GPM 0	2.6	4.0	5.3	6.6	7.9	8.8	9.3	10.6	11.9	13.2	14.5	15.9	17.6	21.1	23.8		
1-ph	3-ph	inch	kw	hp	m ³ /h 0	0.6	0.9	1.2	1.5	1.8	2	2.1	2.4	2.7	3	3.3	3.6	4	4.8	5.4
			H=Head/Altura/Hauteur(m)																	
3SDM2/8	3SD2/8	1"/1.2"/1.5"	0.18	0.25	34	33	33	31	29	26	24	23	19	14	-	-	-	-	-	-
3SDM2/11	3SD2/11	1"/1.2"/1.5"	0.25	0.33	47	45	45	43	40	36	33	32	27	20	-	-	-	-	-	-
3SDM2/15	3SD2/15	1"/1.2"/1.5"	0.37	0.5	64	62	61	58	54	49	45	43	36	27	-	-	-	-	-	-
3SDM2/21	3SD2/21	1"/1.2"/1.5"	0.55	0.75	89	87	85	81	76	68	63	60	51	38	-	-	-	-	-	-
3SDM2/27	3SD2/27	1"/1.2"/1.5"	0.75	1	115	112	110	104	97	88	81	77	65	49	-	-	-	-	-	-
3SDM2/33	3SD2/33	1"/1.2"/1.5"	0.92	1.25	141	136	134	128	119	108	99	95	80	60	-	-	-	-	-	-
3SDM2/38	3SD2/38	1"/1.2"/1.5"	1.1	1.5	162	157	154	147	137	124	114	109	92	69	-	-	-	-	-	-
3SDM2/46	3SD2/46	1"/1.2"/1.5"	1.5	2	196	190	187	178	166	150	138	132	111	83	-	-	-	-	-	-
3SDM3/8	3SD3/8	1"/1.2"/1.5"	0.25	0.33	32	32	31	30	29	28	27	27	26	23	20	16	12	-	-	-
3SDM3/11	3SD3/11	1"/1.2"/1.5"	0.37	0.5	44	43	43	41	40	39	38	37	35	31	27	22	16	-	-	-
3SDM3/16	3SD3/16	1"/1.2"/1.5"	0.55	0.75	64	63	62	60	59	56	55	54	51	45	39	32	23	-	-	-
3SDM3/21	3SD3/21	1"/1.2"/1.5"	0.75	1	85	83	81	79	77	74	71	70	67	60	52	43	31	-	-	-
3SDM3/26	3SD3/26	1"/1.2"/1.5"	0.92	1.25	105	103	100	98	96	91	88	87	83	74	64	53	38	-	-	-
3SDM3/31	3SD3/31	1"/1.2"/1.5"	1.1	1.5	125	122	120	116	114	109	106	104	99	88	76	63	45	-	-	-
3SDM3/37	3SD3/37	1"/1.2"/1.5"	1.5	2	149	146	143	139	136	130	126	124	118	105	91	75	54	-	-	-
3SDM4/6	3SD4/6	1"/1.2"/1.5"	0.25	0.33	25	25	25	24	24	23	23	23	22	21	20	19	17	13	8	
3SDM4/9	3SD4/9	1"/1.2"/1.5"	0.37	0.5	37	37	37	36	36	35	34	34	33	33	32	30	28	25	19	12
3SDM4/12	3SD4/12	1"/1.2"/1.5"	0.55	0.75	49	49	49	48	48	47	46	46	45	44	42	40	37	34	25	15
3SDM4/16	3SD4/16	1"/1.2"/1.5"	0.75	1	66	66	66	65	64	62	61	61	59	58	56	53	50	45	34	21
3SDM4/20	3SD4/20	1"/1.2"/1.5"	0.92	1.25	82	82	82	81	80	78	77	76	74	72	70	66	62	56	42	25
3SDM4/24	3SD4/24	1"/1.2"/1.5"	1.1	1.5	99	99	98	97	95	93	92	91	89	87	84	80	75	67	51	31
3SDM4/28	3SD4/28	1"/1.2"/1.5"	1.5	2	115	115	114	113	111	109	108	107	104	101	98	93	87	78	59	36
3.5SDM2/8	3.5SD2/8	1.2"/1.5"	0.25	0.33	47	46	45	43	41	38	35	34	29	24	18	12	-	-	-	-
3.5SDM2/11	3.5SD2/11	1.2"/1.5"	0.37	0.5	65	63	62	59	56	52	48	46	40	33	25	16	-	-	-	-
3.5SDM2/14	3.5SD2/14	1.2"/1.5"	0.55	0.75	83	81	79	76	71	66	61	59	51	42	32	21	-	-	-	-
3.5SDM2/17	3.5SD2/17	1.2"/1.5"	0.75	1	100	98	95	92	87	80	75	72	62	51	39	25	-	-	-	-
3.5SDM2/21	3.5SD2/21	1.2"/1.5"	0.92	1.25	124	121	118	113	107	99	92	89	76	63	48	31	-	-	-	-
3.5SDM2/25	3.5SD2/25	1.2"/1.5"	1.1	1.5	148	144	140	135	127	117	109	105	91	75	57	37	-	-	-	-
3.5SDM2/29	3.5SD2/29	1.2"/1.5"	1.3	1.75	171	167	163	157	148	136	127	122	105	87	66	43	-	-	-	-
3.5SDM2/33	3.5SD2/33	1.2"/1.5"	1.5	2	195	190	185	178	168	155	144	139	120	99	75	49	-	-	-	-
3.5SDM2/38	3.5SD2/38	1.2"/1.5"	1.8	2.5	224	219	213	205	194	179	166	160	138	114	86	56	-	-	-	-
-	3.5SD2/44	1.2"/1.5"	2.2	3	260	254	247	238	224	207	193	186	160	132	100	65	-	-	-	-
-	3.5SD2/52	1.2"/1.5"	3	4	307	300	292	281	265	244	227	219	189	156	118	77	-	-	-	-
-	3.5SD2/60	1.2"/1.5"	3.7	5	354	346	337	324	306	282	263	253	218	180	136	89	-	-	-	-
3.5SDM3/6	3.5SD3/6	1.2"/1.5"	0.25	0.33	35	34	34	33	33	32	31	31	29	28	26	23	20	16	8	
3.5SDM3/8	3.5SD3/8	1.2"/1.5"	0.37	0.5	46	45	45	44	43	42	41	41	39	37	34	31	27	22	11	
3.5SDM3/11	3.5SD3/11	1.2"/1.5"	0.55	0.75	63	62	62	61	60	58	57	56	54	51	47	42	37	30	15	
3.5SDM3/14	3.5SD3/14	1.2"/1.5"	0.75	1	81	79	78	77	76	74	72	71	68	64	60	54	47	38	19	
3.5SDM3/17	3.5SD3/17	1.2"/1.5"	0.92	1.25	98	96	95	94	92	89	87	86	83	78	72	65	57	46	23	
3.5SDM3/20	3.5SD3/20	1.2"/1.5"	1.1	1.5	115	113	112	110	108	105	103	102	98	92	85	77	68	55	28	
3.5SDM3/23	3.5SD3/23	1.2"/1.5"	1.3	1.75	132	129	128	127	124	121	118	117	112	105	98	88	78	63	32	
3.5SDM3/26	3.5SD3/26	1.2"/1.5"	1.5	2	150	146	145	143	140	137	134	132	127	119	111	100	88	71	36	
3.5SDM3/30	3.5SD3/30	1.2"/1.5"	1.8	2.5	173	169	167	165	162	158	154	152	146	137	128	115	101	81	41	
-	3.5SD3/34	1.2"/1.5"	2.2	3	196	191	189	187	183	179	175	173	166	156	145	130	115	92	47	
-	3.5SD3/40	1.2"/1.5"	3	4	230	225	223	220	215	210	205	203	195	183	170	153	135	108	55	
-	3.5SD3/46	1.2"/1.5"	3.7	5	265	259	256	253	248	242	236	233	224	210	196	176	155	124	63	



TECHNICAL DATA/DATOS TÉCNICOS/DONNÉES TECHNIQUES

50 Hz n=2900 l/min

MODEL MODELO MODELE		DN	Power Potencia Puissance		Q=DELIVERY/CAUDAL/DÉBIT																
1-ph	3-ph		kw	hp	GPM 0	2.6	5.3	7.9	10.6	13.2	15.9	17.6	18.5	21.1	23.8	26.4	31.7	37.0			
		inch			H=Head/Altura/Hauteur(m)																
3.5SDM4/7	3.5SD4/7	1.2"/1.5"	0.37	0.5	40	39	38	37	36	34	31	28	27	22	16	8	-	-	-		
3.5SDM4/9	3.5SD4/9	1.2"/1.5"	0.55	0.75	51	50	49	48	46	44	40	36	34	28	20	11	-	-	-		
3.5SDM4/11	3.5SD4/11	1.2"/1.5"	0.75	1	62	61	60	58	56	53	49	44	42	34	25	13	-	-	-		
3.5SDM4/13	3.5SD4/13	1.2"/1.5"	0.92	1.25	74	73	70	69	66	63	57	52	50	40	29	15	-	-	-		
3.5SDM4/16	3.5SD4/16	1.2"/1.5"	1.1	1.5	91	89	87	85	82	77	71	64	61	50	36	19	-	-	-		
3.5SDM4/18	3.5SD4/18	1.2"/1.5"	1.3	1.75	102	100	98	95	92	87	80	73	69	56	40	21	-	-	-		
3.5SDM4/21	3.5SD4/21	1.2"/1.5"	1.5	2	119	117	114	111	107	102	93	84	80	65	47	25	-	-	-		
3.5SDM4/24	3.5SD4/24	1.2"/1.5"	1.8	2.5	136	134	130	127	123	116	106	97	92	75	54	28	-	-	-		
-	3.5SD4/28	1.2"/1.5"	2.2	3	158	156	152	148	143	136	124	113	107	87	63	33	-	-	-		
-	3.5SD4/38	1.2"/1.5"	3	4	187	184	179	175	168	160	146	133	126	102	74	39	-	-	-		
-	3.5SD4/38	1.2"/1.5"	3.7	5	215	212	206	201	194	184	168	153	145	118	85	45	-	-	-		
3.5SDM6/5	3.5SD6/5	1.2"/1.5"	0.37	0.5	27	-	25	25	24	23	22	21	21	20	19	17	12	7	-		
3.5SDM6/7	3.5SD6/7	1.2"/1.5"	0.55	0.75	37	-	35	35	34	33	31	30	30	30	28	26	24	17	10		
3.5SDM6/9	3.5SD6/9	1.2"/1.5"	0.75	1	48	-	46	45	43	42	40	39	38	36	33	30	22	12	12		
3.5SDM6/11	3.5SD6/11	1.2"/1.5"	0.92	1.25	59	-	56	55	53	51	49	48	47	44	41	37	27	15	15		
3.5SDM6/13	3.5SD6/13	1.2"/1.5"	1.1	1.5	69	-	66	64	62	60	58	56	55	52	48	44	32	18	18		
3.5SDM6/15	3.5SD6/15	1.2"/1.5"	1.3	1.75	80	-	76	74	72	70	67	65	64	60	55	50	36	20	20		
3.5SDM6/17	3.5SD6/17	1.2"/1.5"	1.5	2	91	-	86	84	82	79	76	74	73	69	63	57	41	23	23		
3.5SDM6/19	3.5SD6/19	1.2"/1.5"	1.8	2.5	101	-	96	94	91	88	85	82	81	77	71	64	46	26	26		
-	3.5SD6/22	1.2"/1.5"	2.2	3	117	-	111	109	106	103	99	96	94	89	82	74	54	30	30		
-	3.5SD6/26	1.2"/1.5"	3	4	139	-	132	129	125	121	117	113	111	105	97	88	63	36	36		
-	3.5SD6/30	1.2"/1.5"	3.7	5	160	-	152	148	144	140	135	130	128	121	111	101	73	41	41		

50 Hz n=2900 l/min

MODEL MODELO MODELE		DN	Power Potencia Puissance		Q=DELIVERY/CAUDAL/DÉBIT																
1-ph	3-ph		kw	hp	GPM 0	2.6	4.0	5.3	6.6	7.9	8.8	9.3	10.6	11.9	13.2	14.5	15.9	18.5	21.1		
		inch			H=Head/Altura/Hauteur(m)																
4SDM2/7	4SD2/7	1"/1.2"/1.5"	0.25	0.33	50	49	48	47	45	42	40	39	36	32	27	22	-	-	-	-	
4SDM2/9	4SD2/9	1"/1.2"/1.5"	0.37	0.5	64	63	62	60	58	54	52	51	47	41	35	29	-	-	-	-	
4SDM2/12	4SD2/12	1"/1.2"/1.5"	0.55	0.75	85	84	83	80	77	72	69	68	62	54	47	38	-	-	-	-	
4SDM2/15	4SD2/15	1"/1.2"/1.5"	0.75	1	106	105	103	100	96	90	87	85	78	68	59	48	-	-	-	-	
4SDM2/18	4SD2/18	1"/1.2"/1.5"	0.92	1.25	127	125	124	120	116	108	104	102	93	82	71	58	-	-	-	-	
4SDM2/21	4SD2/21	1"/1.2"/1.5"	1.1	1.5	149	146	145	140	135	126	121	118	109	95	82	67	-	-	-	-	
4SDM2/24	4SD2/24	1"/1.2"/1.5"	1.3	1.75	170	167	165	160	154	144	138	135	124	109	94	77	-	-	-	-	
4SDM2/28	4SD2/28	1"/1.2"/1.5"	1.5	2	198	195	193	187	180	168	161	158	145	127	110	90	-	-	-	-	
4SDM2/32	4SD2/32	1"/1.2"/1.5"	1.8	2.5	227	223	221	214	206	192	185	181	166	145	126	103	-	-	-	-	
4SDM2/37	4SD2/37	1"/1.2"/1.5"	2.2	3	262	258	255	247	238	222	213	209	191	168	145	119	-	-	-	-	
4SDM2/42	4SD2/42	1"/1.2"/1.5"	2.6	3.5	297	293	289	280	270	252	242	237	217	190	165	135	-	-	-	-	
-	4SD2/47	1"/1.2"/1.5"	3	4	333	328	324	314	302	282	271	265	243	213	184	151	-	-	-	-	
-	4SD2/52	1"/1.2"/1.5"	3.7	5	368	362	358	347	334	312	299	293	269	236	204	167	-	-	-	-	
-	4SD2/58	1"/1.2"/1.5"	4	5.5	411	404	400	387	372	348	334	327	300	263	227	186	-	-	-	-	
-	4SD2/64	1"/1.2"/1.5"	5	7	453	446	441	427	411	384	369	361	331	290	251	205	-	-	-	-	
4SDM3/5	4SD3/5	1.2"/1.5"	0.25	0.33	36	35	35	34	33	32	31	31	29	27	25	23	20	14	7	-	
4SDM3/7	4SD3/7	1.2"/1.5"	0.37	0.5	50	49	48	47	46	45	44	43	41	38	35	32	28	20	10	-	
4SDM3/10	4SD3/10	1.2"/1.5"	0.55	0.75	72	70	69	68	66	64	62	61	58	54	50	45	40	29	15	-	
4SDM3/13	4SD3/13	1.2"/1.5"	0.75	1	93	91	90	88	86	83	81	80	76	71	66	60	53	38	19	-	
4SDM3/15	4SD3/15	1.2"/1.5"	0.92	1.25	108	105	104	102	99	96	93	92	88	82	76	69	61	43	22	-	
4SDM3/18	4SD3/18	1.2"/1.5"	1.1	1.5	129	126	124	122	119	115	112	110	105	98	91	82	73	52	27	-	
4SDM3/20	4SD3/20	1.2"/1.5"	1.3	1.75	144	140	138	135	132	128	125	123	117	109	101	91	81	58	30	-	
4SDM3/22	4SD3/22	1.2"/1.5"	1.5	2	158	154	152	149	145	141	137	135	128	120	111	100	89	64	33	-	
4SDM3/26	4SD3/26	1.2"/1.5"	1.8	2.5	187	182	179	176	171	166	161	159	152	142	131	118	105	75	39	-	
4SDM3/30	4SD3/30	1.2"/1.5"	2.2	3	215	210	207	203	198	192	187	184	175	163	151	136	121	87	45	-	
4SDM3/35	4SD3/35	1.2"/1.5"	2.6	3.5	251	245	241	237	231	224	217	214	204	191	177	160	142	101	52	-	
-	4SD3/40	1.2"/1.5"	3	4	287	280	276	271	263	255	248	245	234	218	202	182	162	115	60	-	
-	4SD3/45	1.2"/1.5"	3.7	5	323	315	310	305	296	287	279	275	263	245	227	205	182	130	67	-	
-	4SD3/50	1.2"/1.5"	4	5.5	359	350	345	339	329	319	310	306	292	272	252	227	202	144	75	-	
-	4SD3/56	1.2"/1.5"	5	7	402	392	386	379	369	358	348	343	327	305	283	255	227	162	84	-	
-	4SD3/62	1.2"/1.5"	5.5	7.5	445	434	427	420	408	396	385	379	362	338	313	282	251	179	93	-	



NIAGARA

TECHNICAL DATA/DATOS TÉCNICOS/DONNÉES TECHNIQUES

50 Hz n=2900 l/min

MODEL MODELO MODELE		DN	Power Potencia Puissance		Q=DELIVERY/CAUDAL/DÉBIT																
1-ph	3-ph		kw	hp	GPM 0	5.3	7.9	10.6	13.2	15.9	17.6	18.5	21.1	23.8	26.4	31.7	35.2	37.0	42.3	47.6	
		inch			H=Head/Altura/Hauteur(m)																
4SDM4/6	4SD4/6	1.2"/1.5"/2"	0.37	0.5	44	41	40	39	36	33	30	29	24	19	14	-	-	-	-	-	
4SDM4/8	4SD4/8	1.2"/1.5"/2"	0.55	0.75	58	55	54	52	49	44	41	39	33	26	18	-	-	-	-	-	
4SDM4/10	4SD4/10	1.2"/1.5"/2"	0.75	1	73	69	67	65	61	55	50	48	41	32	23	-	-	-	-	-	
4SDM4/12	4SD4/12	1.2"/1.5"/2"	0.92	1.25	87	82	81	78	73	66	61	58	49	39	27	-	-	-	-	-	
4SDM4/14	4SD4/14	1.2"/1.5"/2"	1.1	1.5	102	96	94	91	85	77	71	68	57	45	32	-	-	-	-	-	
4SDM4/16	4SD4/16	1.2"/1.5"/2"	1.3	1.75	116	110	107	104	97	88	81	77	65	51	37	-	-	-	-	-	
4SDM4/18	4SD4/18	1.2"/1.5"/2"	1.5	2	131	124	121	117	109	99	91	87	73	58	41	-	-	-	-	-	
4SDM4/21	4SD4/21	1.2"/1.5"/2"	1.8	2.5	152	144	141	136	128	115	106	102	85	67	48	-	-	-	-	-	
4SDM4/24	4SD4/24	1.2"/1.5"/2"	2.2	3	174	165	161	156	146	132	121	116	98	77	55	-	-	-	-	-	
4SDM4/28	4SD4/28	1.2"/1.5"/2"	2.6	3.5	203	192	188	182	170	154	141	135	114	90	64	-	-	-	-	-	
-	4SD4/32	1.2"/1.5"/2"	3	4	232	220	215	208	195	176	162	155	130	103	73	-	-	-	-	-	
-	4SD4/36	1.2"/1.5"/2"	3.7	5	261	247	242	234	219	198	182	174	146	116	82	-	-	-	-	-	
-	4SD4/40	1.2"/1.5"/2"	4	5.5	290	275	268	260	243	220	203	194	163	128	92	-	-	-	-	-	
-	4SD4/45																				



TECHNICAL DATA/DATOS TÉCNICOS/DONNÉES TECHNIQUES

50 Hz n=2900 l/min

MODEL MODELO MODÈLE		DN	Power Potencia Puissance		Q=DELIVERY/CAUDAL/DÉBIT																								
1-ph	3-ph	inch	kw	hp	GPM 0	7.9	15.9	23.8	31.7	39.6	47.6	55.5	63.4	70.5	79.3	92.5	H=Head/Altura/Hauteur(m)												
					l/min 0	30	60	90	120	150	167	180	200	210	230	240	267	300	350	9	10	10.8	12	12.6	13.8	14.4	16	18	21
4SDM10/5	4SD10/5	1.5"/2"	0.75	1	34	33	30	29	27	25	22	20	15	13	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4SDM10/6	4SD10/6	1.5"/2"	0.92	1.25	40	40	37	34	33	29	26	24	19	16	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4SDM10/7	4SD10/7	1.5"/2"	1.1	1.5	47	46	43	40	38	34	31	28	22	19	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4SDM10/8	4SD10/8	1.5"/2"	1.3	1.75	54	53	49	46	44	39	35	32	25	21	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4SDM10/9	4SD10/9	1.5"/2"	1.5	2	61	59	55	52	49	44	40	36	28	24	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4SDM10/10	4SD10/10	1.5"/2"	1.5	2	67	66	61	57	55	49	44	40	31	26	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4SDM10/11	4SD10/11	1.5"/2"	1.8	2.5	74	72	67	63	60	54	48	44	34	29	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4SDM10/13	4SD10/13	1.5"/2"	2.2	3	88	86	79	75	71	64	57	52	40	34	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4SDM10/15	4SD10/15	1.5"/2"	2.6	3.5	101	99	91	86	82	74	66	60	47	40	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	4SD10/17	1.5"/2"	3	4	115	112	104	97	93	83	74	67	52	45	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	4SD10/19	1.5"/2"	3.7	5	128	125	116	109	104	93	83	75	58	50	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	4SD10/21	1.5"/2"	4	5.5	141	138	128	120	115	103	92	83	65	56	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	4SD10/24	1.5"/2"	5	7	162	158	146	138	131	118	105	95	74	64	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	4SD10/27	1.5"/2"	5.5	7.5	182	178	164	155	148	133	119	107	83	71	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	4SD10/30	1.5"/2"	7	9.5	202	198	183	172	164	147	131	119	92	79	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	4SD10/34	1.5"/2"	7.5	10	229	224	207	195	186	167	149	135	105	90	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4SDM12/4	4SD12/4	2"	0.75	1	25	24	22	21	19	18	17	16	14	13	11	10	7	-	-	-	-	-	-	-	-	-	-	-	-
4SDM12/5	4SD12/5	2"	0.92	1.25	31	30	28	26	24	22	21	20	18	17	14	13	9	-	-	-	-	-	-	-	-	-	-	-	-
4SDM12/6	4SD12/6	2"	1.1	1.5	37	36	34	31	29	26	24	23	21	20	17	16	11	-	-	-	-	-	-	-	-	-	-	-	-
4SDM12/7	4SD12/7	2"	1.3	1.75	43	42	39	36	34	31	29	27	24	23	20	18	13	-	-	-	-	-	-	-	-	-	-	-	-
4SDM12/8	4SD12/8	2"	1.5	2	49	48	45	42	39	35	33	31	28	27	23	21	15	-	-	-	-	-	-	-	-	-	-	-	-
4SDM12/10	4SD12/10	2"	1.8	2.5	61	59	56	52	48	44	41	39	35	33	28	26	18	-	-	-	-	-	-	-	-	-	-	-	-
4SDM12/12	4SD12/12	2"	2.2	3	74	71	67	62	58	53	50	47	42	40	34	31	21	-	-	-	-	-	-	-	-	-	-	-	-
4SDM12/14	4SD12/14	2"	2.6	3.5	86	83	78	73	67	62	58	55	49	46	39	36	25	-	-	-	-	-	-	-	-	-	-	-	-
-	4SD12/16	2"	3	4	98	95	90	83	77	71	67	63	56	53	46	42	29	-	-	-	-	-	-	-	-	-	-	-	-
-	4SD12/18	2"	3.7	5	110	107	101	93	87	79	74	70	63	60	51	47	32	-	-	-	-	-	-	-	-	-	-	-	-
-	4SD12/20	2"	4	5.5	123	119	112	104	96	88	82	78	70	66	57	52	36	-	-	-	-	-	-	-	-	-	-	-	-
-	4SD12/23	2"	5	7	141	137	129	119	111	101	95	90	81	76	65	60	41	-	-	-	-	-	-	-	-	-	-	-	-
-	4SD12/26	2"	5.5	7.5	159	154	145	135	125	115	108	102	91	86	73	67	47	-	-	-	-	-	-	-	-	-	-	-	-
-	4SD12/29	2"	7	9.5	178	172	162	150	140	128	120	113	102	96	82	75	52	-	-	-	-	-	-	-	-	-	-	-	-
-	4SD12/32	2"	7.5	10	196	190	179	166	154	141	132	125	112	106	91	83	57	-	-	-	-	-	-	-	-	-	-	-	-
4SDM16/4	4SD16/4	2"	1.1	1.5	24	-	-	22	21	20	19	18	17	17	16	15	14	12	9	-	-	-	-	-	-	-	-	-	-
4SDM16/5	4SD16/5	2"	1.3	1.75	30	-	-	28	27	25	24	23	22	22	20	19	17	15	11	-	-	-	-	-	-	-	-	-	-
4SDM16/6	4SD16/6	2"	1.5	2	36	-	-	33	32	30	29	28	26	25	24	23	20	18	13	-	-	-	-	-	-	-	-	-	-
4SDM16/8	4SD16/8	2"	1.8	2.5	47	-	-	45	42	40	38	37	35	34	32	31	27	24	17	-	-	-	-	-	-	-	-	-	-
4SDM16/9	4SD16/9	2"	2.2	3	53	-	-	50	48	45	43	42	39	38	36	35	31	27	19	-	-	-	-	-	-	-	-	-	-
4SDM16/11	4SD16/11	2"	2.6	3.5	65	-	-	62	58	55	53	51	48	47	44	42	38	33	24	-	-	-	-	-	-	-	-	-	-
-	4SD16/12	2"	3	4	71	-	-	67	64	60	57	55	52	51	47	46	42	36	26	-	-	-	-	-	-	-	-	-	-
-	4SD16/14	2"	3.7	5	83	-	-	78	75	70	67	65	62	60	55	53	49	42	30	-	-	-	-	-	-	-	-	-	-
-	4SD16/16	2"	4	5.5	95	-	-	89	85	80	77	75	70	68	64	62	56	48	35	-	-	-	-	-	-	-	-	-	-
-	4SD16/18	2"	5	7	107	-	-	100	95	90	87	84	79	77	72	70	63	54	39	-	-	-	-	-	-	-	-	-	-
-	4SD16/20	2"	5.5	7.5	118	-	-	112	107	100	96	93	88	85	80	77	65	60	43	-	-	-	-	-	-	-	-	-	-
-	4SD16/23	2"	7	9.5	136	-	-	128	122	115	111	107	101	98	92	88	80	69	50	-	-	-	-	-	-	-	-	-	-
-	4SD16/25	2"	7.5	10	148	-	-	140	133	125	120	116	110	107	100	95	86	75	54	-	-	-	-	-	-	-	-	-	-



NIAGARA

TECHNICAL DATA/DATOS TÉCNICOS/DONNÉES TECHNIQUES

50 Hz n=2900 l/min

MODEL MODELO MODÈLE		DN	Power Potencia Puissance		Q=DELIVERY/CAUDAL/DÉBIT																								
1-ph	3-ph	inch	kw	hp	GPM 0	7.9	15.9	23.8	31.7	39.6	47.6	55.5	63.4	70.5	79.3	92.5	66.1	74.0	84.6	H=Head/Altura/Hauteur(m)									
					l/min 0	30	60	90	120	150	167	200	210	230	240	267	300	250	280	320	9	10	12	14.4	15	16.8	18	21	
SSDM10/6	SSD10/6	2"	1.5	2	63	63	62	59	55	49	44	32	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SSDM10/8	SSD10/8	2"	2.2	3	84	84	83	79	73	65	60	43	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SSDM10/10	SSD10/10	2"	3	4	105	105	103	99	91	81	72	55	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	SSD10/13	2"	4	5.5	136	137	134	128	119	105	95	70	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	SSD10/17	2"	5.5	7.5	178	179	175	168	155	138	125	91	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	SSD10/21	2"	7.5	10	220	221	217	207	192	170	155	113	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	SSD10/28	2"	11	15	293	295	289	276	256	227	202	151	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SSDM15/4	SSD15/4	2"/2.5"	1.5	2	43	-	-	42	41	40	38	34	29	27	22	13	-	-	-	-	-	-	-	-	-	-	-	-	
SSDM15/5	SSD15/5	2"/2.5"	2.2	3	54	-	-	52	51	49	47	43	36	34	27	17	-	-	-	-	-	-	-	-	-	-	-	-	
SSDM15/7	SSD15/7	2"/2.5"	3	4	76	-	-	74	72	69	67	60	50	47	38	23	-	-	-	-	-	-	-	-	-	-	-	-	
-	SSD15/9	2"/2.5"	4	5.5	97	-	-	96	92	88	85	77	65	61	49	30	-	-	-	-	-	-	-	-	-	-	-	-	
-	SSD15/12	2"/2.5"	5.5	7.5	130	-	-																						



TECHNICAL DATA/DATOS TÉCNICOS/DONNÉES TECHNIQUES





50 Hz n≈2900 l/min

MODEL MODELO MODELE		DN	Power Potencia Puissance		Q=DELIVERY/CAUDAL/DÉBIT																				
1-ph	3-ph	inch	kw	hp	GPM 0	13.2	26.4	39.6	H=Head/Altura/Hauteur(m)											145.4	154.2	176.2	198.2	211.5	237.9
					l/min 0	50	100	150	200	250	300	350	417	500	550	583	667	750	800	900					
					m ³ /h 0	3	6	9	12	15	18	21	25	30	33	35	40	45	48	54					
6SDM15/5	6SD15/5	3 7/4"	3	4	72	70	68	63	56	48	36	18	-	-	-	-	-	-	-	-	-	-			
6SDM15/7	6SD15/7	3 7/4"	4	5.5	101	99	95	88	78	67	51	25	-	-	-	-	-	-	-	-	-	-			
6SDM15/9	6SD15/9	3 7/4"	5.5	7.5	129	127	122	113	100	86	66	32	-	-	-	-	-	-	-	-	-	-			
-	6SD15/12	3 7/4"	7.5	10	173	169	162	150	134	114	88	42	-	-	-	-	-	-	-	-	-	-			
-	6SD15/15	3 7/4"	9.2	12.5	216	211	203	188	167	143	109	53	-	-	-	-	-	-	-	-	-	-			
-	6SD15/18	3 7/4"	11	15	259	254	243	225	200	171	131	63	-	-	-	-	-	-	-	-	-	-			
-	6SD15/21	3 7/4"	13	17.5	302	296	284	263	234	200	153	74	-	-	-	-	-	-	-	-	-	-			
-	6SD15/24	3 7/4"	15	20	345	338	324	300	267	228	175	84	-	-	-	-	-	-	-	-	-	-			
6SDM25/3	6SD25/3	3 7/4"	3	4	45	45	45	44	42	40	38	33	26	16	9	-	-	-	-	-	-	-			
6SDM25/4	6SD25/4	3 7/4"	4	5.5	60	60	60	58	56	54	50	45	36	21	12	-	-	-	-	-	-	-			
6SDM25/6	6SD25/6	3 7/4"	5.5	7.5	90	90	89	88	85	81	76	66	54	32	18	-	-	-	-	-	-	-			
-	6SD25/8	3 7/4"	7.5	10	120	120	119	117	113	108	101	89	72	43	24	-	-	-	-	-	-	-			
-	6SD25/10	3 7/4"	9.2	12.5	150	150	149	146	141	135	126	111	90	55	30	-	-	-	-	-	-	-			
-	6SD25/12	3 7/4"	11	15	179	180	179	175	169	162	151	134	108	65	36	-	-	-	-	-	-	-			
-	6SD25/14	3 7/4"	13	17.5	209	210	209	204	197	189	176	156	126	76	42	-	-	-	-	-	-	-			
-	6SD25/16	3 7/4"	15	20	239	240	238	234	226	216	202	178	144	87	48	-	-	-	-	-	-	-			
-	6SD25/18	3 7/4"	18.5	25	269	270	268	263	254	243	227	201	162	98	54	-	-	-	-	-	-	-			
-	6SD25/20	3 7/4"	18.5	25	299	300	298	292	282	270	252	223	180	109	60	-	-	-	-	-	-	-			
6SDM35/3	6SD35/3	3 7/4"	4	5.5	44	-	43	41	40	39	38	36	34	30	27	25	18	9	-	-	-	-			
6SDM35/4	6SD35/4	3 7/4"	5.5	7.5	59	-	56	55	53	52	50	48	45	40	36	33	24	12	-	-	-	-			
-	6SD35/6	3 7/4"	7.5	10	88	-	85	83	80	78	75	72	67	60	54	50	36	18	-	-	-	-			
-	6SD35/7	3 7/4"	9.2	12.5	103	-	99	96	93	91	88	84	78	70	63	58	42	21	-	-	-	-			
-	6SD35/8	3 7/4"	11	15	118	-	113	110	107	104	100	96	90	80	72	66	48	24	-	-	-	-			
-	6SD35/10	3 7/4"	13	17.5	147	-	142	137	134	130	125	120	112	100	90	83	60	30	-	-	-	-			
-	6SD35/12	3 7/4"	15	20	176	-	169	165	160	155	150	144	134	120	108	100	72	36	-	-	-	-			
-	6SD35/14	3 7/4"	18.5	25	206	-	198	192	186	181	175	168	157	140	126	116	84	42	-	-	-	-			
-	6SD35/16	3 7/4"	18.5	25	235	-	226	220	214	207	200	192	179	160	144	133	96	48	-	-	-	-			
-	6SD35/18	3 7/4"	22	30	265	-	255	247	240	233	225	216	202	180	161	149	108	54	-	-	-	-			
-	6SD35/20	3 7/4"	22	30	294	-	282	275	267	259	250	240	224	200	180	166	120	60	-	-	-	-			
6SDM45/2	6SD45/2	3 7/4"	4	5.5	28	-	27	26	25	24	23	23	22	20	19	18	16	14	12	8	-	-			
6SDM45/3	6SD45/3	3 7/4"	5.5	7.5	42	-	40	39	38	37	35	34	33	30	29	28	25	21	18	11	-	-			
-	6SD45/4	3 7/4"	7.5	10	56	-	53	52	50	49	47	45	42	39	37	36	32	28	25	15	-	-			
-	6SD45/5	3 7/4"	9.2	12.5	70	-	67	65	63	61	58	56	53	49	47	45	40	35	31	19	-	-			
-	6SD45/6	3 7/4"	11	15	84	-	80	78	75	73	70	67	64	59	56	54	48	42	37	23	-	-			
-	6SD45/7	3 7/4"	13	17.5	98	-	93	91	88	85	82	79	75	69	66	63	56	49	43	27	-	-			
-	6SD45/8	3 7/4"	15	20	113	-	107	104	100	97	93	90	86	79	75	72	64	56	49	30	-	-			
-	6SD45/9	3 7/4"	18.5	25	127	-	120	117	113	109	105	102	97	89	85	82	73	63	55	34	-	-			
-	6SD45/11	3 7/4"	18.5	25	155	-	147	143	138	133	128	124	118	109	104	100	88	76	67	42	-	-			
-	6SD45/13	3 7/4"	22	30	183	-	173	168	163	158	152	146	139	128	122	117	104	91	80	49	-	-			
-	6SD45/15	3 7/4"	22	30	211	-	200	194	188	182	175	169	161	148	141	136	120	104	92	57	-	-			







NIAGARA

PERFORMANCE CURVE/CURVA DE RENDIMIENTO/COURBE DE PERFORMANCE









PERFORMANCE CURVE/CURVA DE RENDIMIENTO/COURBE DE PERFORMANCE







NIAGARA

PERFORMANCE CURVE/CURVA DE RENDIMIENTO/COURBE DE PERFORMANCE













PERFORMANCE CURVE/CURVA DE RENDIMIENTO/COURBE DE PERFORMANCE




NIAGARA

PERFORMANCE CURVE/CURVA DE RENDIMIENTO/COURBE DE PERFORMANCE





DIMENSIONS AND WEIGHT/DIMENSIONES Y PESOS/DIMENSIONS ET POIDS



MODEL MODELO MODELE		DN	DIMENSIONS/DIMENSIONES/DIMENSIONS (mm)								N.W(kg)			
1-ph	3-ph	inch	P	M		T		D1	ØD2	P	M		T	
				1-ph	3-ph	1-ph	3-ph				1-ph	3-ph	1-ph	3-ph
2SDM0.7/26	-	0.5"/0.75"	778	499	-	1277	-	51	50	2	4.3	-	6.3	-
2SDM0.7/32	-	0.5"/0.75"	942	499	-	1441	-	51	50	2.3	4.3	-	6.6	-
2SDM0.7/38	-	0.5"/0.75"	1084	499	-	1583	-	51	50	2.6	4.3	-	6.9	-
2.5SDM2/12	-	1"	437	445	-	882	-	66	65	3.3	6.9	-	10.2	-
2.5SDM2/17	-	1"	570	578	-	1148	-	66	65	3.8	7.6	-	11.4	-
2.5SDM2/24	-	1"	779	787	-	1546	-	66	65	4.1	8.2	-	12.3	-
2.5SDM2/31	-	1"	993	1001	-	1994	-	66	65	4.4	8.9	-	13.3	-
3SDM2/8	3SD2/8	1"/1.2"/1.5"	377	288	288	665	665	75	73	1.8	4	4	5.8	5.8
3SDM2/11	3SD2/11	1"/1.2"/1.5"	444	308	288	752	752	75	73	2.1	4.8	4	6.9	6.1
3SDM2/15	3SD2/15	1"/1.2"/1.5"	535	338	308	873	873	75	73	2.4	5.6	4.8	8	7.2
3SDM2/21	3SD2/21	1"/1.2"/1.5"	694	368	338	1062	1032	75	73	3.2	6.4	5.6	9.6	8.8
3SDM2/27	3SD2/27	1"/1.2"/1.5"	830	408	368	1238	1198	75	73	3.5	7.5	6.4	11	9.9
3SDM2/33	3SD2/33	1"/1.2"/1.5"	966	448	408	1414	1375	75	73	4.3	8.7	7.5	13	11.8
3SDM2/38	3SD2/38	1"/1.2"/1.5"	1101	493	448	1594	1549	75	73	4.9	10	8.7	14.9	13.6
3SDM2/46	3SD2/46	1"/1.2"/1.5"	1306	543	493	1849	1799	75	73	5.8	11.3	10	17.1	15.8
3SDM3/8	3SD3/8	1"/1.2"/1.5"	405	308	288	713	693	75	73	1.8	4.8	4	6.6	5.8
3SDM3/11	3SD3/11	1"/1.2"/1.5"	483	338	308	821	791	75	73	2.1	5.6	4.8	7.7	6.9
3SDM3/16	3SD3/16	1"/1.2"/1.5"	613	368	338	981	951	75	73	2.5	6.4	5.6	8.9	8.1
3SDM3/21	3SD3/21	1"/1.2"/1.5"	768	408	368	1176	1136	75	73	3.2	7.5	6.4	10.7	9.6
3SDM3/26	3SD3/26	1"/1.2"/1.5"	898	448	408	1346	1306	75	73	3.7	8.7	6.4	12.4	11.2
3SDM3/31	3SD3/31	1"/1.2"/1.5"	1029	493	448	1522	1477	75	73	4.1	10	7.5	14.1	12.8
3SDM3/37	3SD3/37	1"/1.2"/1.5"	1209	543	493	1752	1702	75	73	4.7	11.3	10	16	14.7
3SDM4/6	3SD4/6	1"/1.2"/1.5"	397	308	288	705	685	75	73	1.7	4.8	4	6.6	5.7
3SDM4/9	3SD4/9	1"/1.2"/1.5"	498	338	308	836	806	75	73	2	5.6	4.8	7.6	6.8
3SDM4/12	3SD4/12	1"/1.2"/1.5"	599	368	338	967	937	75	73	2.3	6.4	5.6	8.7	7.9
3SDM4/16	3SD4/16	1"/1.2"/1.5"	757	408	368	1165	1125	75	73	2.8	7.5	6.4	10.3	9.2
3SDM4/20	3SD4/20	1"/1.2"/1.5"	892	448	408	1340	1300	75	73	3.4	8.7	7.5	12.1	10.9
3SDM4/24	3SD4/24	1"/1.2"/1.5"	1026	493	448	1519	1474	75	73	3.9	10	8.7	13.9	12.6
3SDM4/28	3SD4/28	1"/1.2"/1.5"	1184	543	493	1727	1677	75	73	4.3	11.3	10	15.6	14.3
3.5SDM2/8	3.5SD2/8	1.2"/1.5"	396	303	303	699	699	86	85	1.8	5.5	5.5	7.3	7.3
3.5SDM2/11	3.5SD2/11	1.2"/1.5"	466	318	303	784	769	86	85	2.1	6.1	5.5	8.2	7.6
3.5SDM2/14	3.5SD2/14	1.2"/1.5"	536	338	318	874	854	86	85	2.3	6.8	6.1	9.1	8.4
3.5SDM2/17	3.5SD2/17	1.2"/1.5"	607	363	338	970	945	86	85	2.6	7.8	6.8	10.4	9.4
3.5SDM2/21	3.5SD2/21	1.2"/1.5"	726	388	363	1114	1089	86	85	3.2	8.8	7.8	12	11
3.5SDM2/25	3.5SD2/25	1.2"/1.5"	819	413	388	1232	1207	86	85	3.6	9.9	8.8	13.5	12.4
3.5SDM2/29	3.5SD2/29	1.2"/1.5"	913	438	413	1351	1326	86	85	3.9	10.7	9.9	14.6	13.8
3.5SDM2/33	3.5SD2/33	1.2"/1.5"	1007	463	438	1470	1445	86	85	4.3	11.8	10.7	16.1	15
3.5SDM2/38	3.5SD2/38	1.2"/1.5"	1135	503	463	1638	1598	86	85	4.8	13.5	11.7	18.3	16.5
-	3.5SD2/44	1.2"/1.5"	1303	-	503	-	1806	86	85	5.6	-	13.3	-	18.9
-	3.5SD2/52	1.2"/1.5"	1493	-	581	-	2074	86	85	6.3	-	16.4	-	22.7
-	3.5SD2/60	1.2"/1.5"	1682	-	633	-	2315	86	85	7.1	-	18.5	-	25.6
3.5SDM3/6	3.5SD3/6	1.2"/1.5"	367	303	303	670	670	86	85	2.1	5.5	5.5	7.6	7.6
3.5SDM3/8	3.5SD3/8	1.2"/1.5"	419	318	303	737	722	86	85	2.5	6.1	5.5	8.6	8
3.5SDM3/11	3.5SD3/11	1.2"/1.5"	498	338	318	836	816	86	85	3	6.8	6.1	9.8	9.1
3.5SDM3/14	3.5SD3/14	1.2"/1.5"	577	363	338	940	915	86	85	3.5	7.8	6.8	11.3	10.3
3.5SDM3/17	3.5SD3/17	1.2"/1.5"	681	388	363	1069	1044	86	85	4.1	8.8	7.8	12.9	11.9
3.5SDM3/20	3.5SD3/20	1.2"/1.5"	760	413	388	1173	1148	86	85	4.8	9.9	8.8	14.7	13.6
3.5SDM3/23	3.5SD3/23	1.2"/1.5"	839	438	413	1277	1252	86	85	5.3	10.7	9.9	16	15.2
3.5SDM3/26	3.5SD3/26	1.2"/1.5"	918	463	438	1381	1356	86	85	5.8	11.8	10.7	17.6	16.5
3.5SDM3/30	3.5SD3/30	1.2"/1.5"	1023	503	463	1526	1486	86	85	6.3	13.5	11.7	19.8	18
-	3.5SD3/34	1.2"/1.5"	1129	-	503	-	1632	86	85	7	-	13.3	-	20.3
-	3.5SD3/40	1.2"/1.5"	1312	-	568	-	1880	86	85	7.7	-	15.9	-	23.6
-	3.5SD3/46	1.2"/1.5"	1470	-	633	-	2103	86	85	8.5	-	18.5	-	27

DIMENSIONS AND WEIGHT/DIMENSIONES Y PESOS/DIMENSIONS ET POIDS


MODEL MODELO MODÈLE		DN	DIMENSIONS/DIMENSIONES/DIMENSIONS (mm)						N.W(kg)					
1-ph	3-ph	inch	P	M	T	D1	ØD2	P	M	T				
			1-ph	3-ph	1-ph	3-ph		1-ph	3-ph	1-ph	3-ph			
3.5SDM4/7	3.5SD4/7	1.2"/1.5"	413	318	303	731	716	86	85	2.3	6.1	5.5	8.4	7.8
3.5SDM4/9	3.5SD4/9	1.2"/1.5"	471	338	318	809	789	86	85	2.7	6.8	6.1	9.5	8.8
3.5SDM4/11	3.5SD4/11	1.2"/1.5"	529	363	338	892	867	86	85	3	7.8	6.8	10.8	9.8
3.5SDM4/13	3.5SD4/13	1.2"/1.5"	587	388	363	975	950	86	85	3.4	8.8	7.8	12.2	11.2
3.5SDM4/16	3.5SD4/16	1.2"/1.5"	700	413	388	1113	1088	86	85	3.9	9.9	8.8	13.8	12.7
3.5SDM4/18	3.5SD4/18	1.2"/1.5"	758	438	413	1196	1171	86	85	4.2	10.7	9.9	14.9	14.1
3.5SDM4/21	3.5SD4/21	1.2"/1.5"	845	463	438	1308	1283	86	85	5	11.8	10.7	16.8	15.7
3.5SDM4/24	3.5SD4/24	1.2"/1.5"	933	503	463	1436	1396	86	85	6.2	13.5	11.7	19.7	17.9
-	3.5SD4/28	1.2"/1.5"	1049	-	503	-	1552	86	85	7.4	-	13.3	-	20.7
-	3.5SD4/33	1.2"/1.5"	1220	-	568	-	1788	86	85	8.9	-	15.9	-	24.8
-	3.5SD4/38	1.2"/1.5"	1366	-	633	-	1999	86	85	10.4	-	18.5	-	28.9
3.5SDM6/5	3.5SD6/5	1.2"/1.5"	383	318	303	701	686	86	85	1.5	6.1	5.5	7.6	7
3.5SDM6/7	3.5SD6/7	1.2"/1.5"	453	338	318	791	771	86	85	1.7	6.8	6.1	8.5	7.8
3.5SDM6/9	3.5SD6/9	1.2"/1.5"	523	363	338	886	861	86	85	1.9	7.8	6.8	9.7	8.7
3.5SDM6/11	3.5SD6/11	1.2"/1.5"	593	388	363	981	956	86	85	2.1	8.8	7.8	10.9	9.9
3.5SDM6/13	3.5SD6/13	1.2"/1.5"	688	413	388	1101	1076	86	85	2.2	9.9	8.8	12.1	11.1
3.5SDM6/15	3.5SD6/15	1.2"/1.5"	758	438	413	1196	1171	86	85	2.4	10.7	9.9	13.1	12.3
3.5SDM6/17	3.5SD6/17	1.2"/1.5"	826	463	438	1291	1266	86	85	2.6	11.8	10.7	14.4	13.3
3.5SDM6/19	3.5SD6/19	1.2"/1.5"	897	503	463	1400	1360	86	85	3	13.5	11.7	16.5	14.7
-	3.5SD6/22	1.2"/1.5"	1002	-	503	-	1505	86	85	3.3	-	13.3	-	16.6
-	3.5SD6/26	1.2"/1.5"	1142	-	568	-	1710	86	85	3.7	-	15.9	-	19.6
-	3.5SD6/30	1.2"/1.5"	1307	-	633	-	1940	86	85	4	-	18.5	-	22.5
4SDM2/7	4SD2/7	1"/1.2"/1.5"	392	299	299	691	691	100	95	3.3	5.5	5.8	8.8	9.1
4SDM2/9	4SD2/9	1"/1.2"/1.5"	440	314	314	754	754	100	95	3.8	6.7	6.7	10.5	10.5
4SDM2/12	4SD2/12	1"/1.2"/1.5"	514	329	329	843	843	100	95	4.6	7.3	7.3	11.9	11.9
4SDM2/15	4SD2/15	1"/1.2"/1.5"	587	359	344	946	931	100	95	5.2	8.7	8	13.9	13.2
4SDM2/18	4SD2/18	1"/1.2"/1.5"	660	379	379	1039	1039	100	95	6	9.8	9.8	15.8	15.8
4SDM2/21	4SD2/21	1"/1.2"/1.5"	765	399	379	1164	1144	100	95	6.7	10.6	9.8	17.3	16.5
4SDM2/24	4SD2/24	1"/1.2"/1.5"	838	424	424	1262	1262	100	95	7.5	11.7	11.7	19.2	19.2
4SDM2/28	4SD2/28	1"/1.2"/1.5"	936	449	424	1385	1360	100	95	8.4	12.9	11.7	21.3	20.1
4SDM2/32	4SD2/32	1"/1.2"/1.5"	1033	514	514	1547	1547	100	95	9.4	15.7	15.7	25.1	25.1
4SDM2/37	4SD2/37	1"/1.2"/1.5"	1155	554	514	1709	1669	100	95	10.7	17.7	15.7	28.4	26.4
4SDM2/42	4SD2/42	1"/1.2"/1.5"	1309	594	554	1903	1863	100	95	11.9	19.8	17.7	31.7	29.6
-	4SD2/47	1"/1.2"/1.5"	1431	-	594	-	2025	100	95	13.1	-	19.8	-	32.9
-	4SD2/52	1"/1.2"/1.5"	1553	-	629	-	2182	100	95	14.3	-	21.4	-	35.7
-	4SD2/58	1"/1.2"/1.5"	1699	-	669	-	2368	100	95	15.8	-	23.7	-	39.5
-	4SD2/64	1"/1.2"/1.5"	1845	-	709	-	2554	100	95	17.3	-	25.5	-	42.8
4SDM3/5	4SD3/5	1.2"/1.5"	355	299	299	654	654	100	95	2.8	5.5	5.8	8.3	8.6
4SDM3/7	4SD3/7	1.2"/1.5"	409	314	314	723	723	100	95	3.4	6.7	6.7	10.1	10.1
4SDM3/10	4SD3/10	1.2"/1.5"	490	329	329	814	819	100	95	4.1	7.3	7.3	11.4	11.4
4SDM3/13	4SD3/13	1.2"/1.5"	571	359	344	930	915	100	95	4.9	8.7	8	13.6	12.9
4SDM3/15	4SD3/15	1.2"/1.5"	624	379	379	1003	1003	100	95	5.4	9.8	9.8	15.2	15.2
4SDM3/18	4SD3/18	1.2"/1.5"	737	399	379	1136	1116	100	95	6.2	10.6	9.8	16.8	16
4SDM3/20	4SD3/20	1.2"/1.5"	790	424	424	1214	1214	100	95	6.7	11.7	11.7	18.4	18.4
4SDM3/22	4SD3/22	1.2"/1.5"	844	449	424	1293	1268	100	95	7.3	12.9	11.7	20.2	19
4SDM3/26	4SD3/26	1.2"/1.5"	952	502	514	1454	1466	100	95	8.3	15.7	15.7	24	24
4SDM3/30	4SD3/30	1.2"/1.5"	1059	542	514	1601	1573	100	95	9.3	17.7	15.7	27	25
4SDM3/35	4SD3/35	1.2"/1.5"	1194	594	554	1664	1748	100	95	10.6	19.8	17.7	30.4	28.3
-	4SD3/40	1.2"/1.5"	1360	-	594	-	1954	100	95	11.9	-	19.8	-	31.7
-	4SD3/45	1.2"/1.5"	1494	-	658	-	2152	100	95	13.2	-	21.4	-	34.6
-	4SD3/50	1.2"/1.5"	1629	-	698	-	2327	100	95	14.5	-	23.7	-	38.2
-	4SD3/56	1.2"/1.5"	1790	-	738	-	2528	100	95	16.1	-	25.5	-	41.6
-	4SD3/62	1.2"/1.5"	1983	-	788	-	2771	100	95	17.6	-	28	-	45.6

DIMENSIONS AND WEIGHT/DIMENSIONES Y PESOS/DIMENSIONS ET POIDS

MODEL MODELO MODÈLE		DN	DIMENSIONS/DIMENSIONES/DIMENSIONS (mm)						N.W(kg)					
1-ph	3-ph	inch	P	M	T	D1	ØD2	P	M	T				
			1-ph	3-ph	1-ph	3-ph		1-ph	3-ph	1-ph	3-ph			
4SDM4/6	4SD4/6	1.2"/1.5"/2"	396	314	314	710	710	100	95	3.2	6.7	6.7	9.9	9.9
4SDM4/8	4SD4/8	1.2"/1.5"/2"	454	329	329	783	783	100	95	3.7	7.3	7.3	11	11
4SDM4/10	4SD4/10	1.2"/1.5"/2"	513	359	344	872	857	100	95	4.3	8.7	8	13	12.3
4SDM4/12	4SD4/12	1.2"/1.5"/2"	571	379	379	950	950	100	95	4.8	9.8	9.8	14.6	14.6
4SDM4/14	4SD4/14	1.2"/1.5"/2"	630	399	379	1029	1009	100	95	5.3	10.6	9.8	15.9	15.1
4SDM4/16	4SD4/16	1.2"/1.5"/2"	688	424	424	1112	1112	100	95	5.9	11.7	11.7	17.6	17.6
4SDM4/18	4SD4/18	1.2"/1.5"/2"	778	449	424	1227	1202	100	95	6.4	12.9	11.7	19.3	18.1
4SDM4/21	4SD4/21	1.2"/1.5"/2"	866	502	514	1368	1380	100	95	7.2	15.7	15.7	22.9	22.9
4SDM4/24	4SD4/24	1.2"/1.5"/2"	953	542	514	1495	1467	100	95	8.1	17.7	15.7	25.8	23.8
4SDM4/28	4SD4/28	1.2"/1.5"/2"	1070	594	554	1664	1624	100	95	9.1	19.8	17.7	28.9	26.8
-	4SD4/32	1.2"/1.5"/2"	1187	-	594	-	1781	100	95	10.2	-	19.8	-	30
-	4SD4/36	1.2"/1.5"/2"	1335	-	658	-	1993	100	95	11.3	-	21.4	-	32.7
-	4SD4/40	1.2"/1.5"/2"	1452	-	698	-	2150	100	95	12.4	-	23.7	-	36.1
-	4SD4/45	1.2"/1.5"/2"	1598	-	738	-	2336	100	95	13.7	-	25.5	-	39.2
-	4SD4/50	1.2"/1.5"/2"	1744	-	788	-	2532	100	95	15.1	-	28	-	43.1
-	4SD4/56	1.2"/1.5"/2"	1951	-	848	-	2799	100	95	16.7	-	30	-	46.7
-	4SD4/62	1.2"/1.5"/2"	2126	-	908	-	3034	100	95	18.4	-	34	-	52.4
4SDM6/5	4SD6/5	1.2"/1.5"/2"	400	314	314	714	714	100	95	3	6.7	6.7	9.7	9.7
4SDM6/6	4SD6/6	1.2"/1.5"/2"	435	344	344	779	779	100	95	3.3	8	8	11.3	11.3
4SDM6/7	4SD6/7	1.2"/1.5"/2"	469	344	344	813	813	100	95	3.6	8	8	11.6	11.6
4SDM6/8	4SD6/8	1.2"/1.5"/2"	510	359	359	869	869	100	95	3.8	8.7	8.7	12.5	12.5
4SDM6/9	4SD6/9	1.2"/1.5"/2"	538	379	379	917	917	100	95	4.1	9.8	9.8	13.9	13.9
4SDM6/11	4SD6/11	1.2"/1.5"/2"	607	399	379	1006	986	100	95	4.7	10.6	9.8	15.3	14.5
4SDM6/13	4SD6/13	1.2"/1.5"/2"	642	424	424	1066	1066	100	95	5	11.7	11.7	16.7	16.7
4SDM6/15	4SD6/15	1.2"/1.5"/2"	742	449	424	1191	1166	100	95	5.6	12.9	11.7	18.5	17.3
4SDM6/17	4SD6/17	1.2"/1.5"/2"	846	502	514	1348	1360	100	95	6.4	15.7	15.7	22.1	22.1
4SDM6/20	4SD6/20	1.2"/1.5"/2"	949	542	514	1491	1463	100	95	7.3	17.7	15.7	25	23
4SDM6/23	4SD6/23	1.2"/1.5"/2"	1053	594	554	1647	1607	100	95	8.1	19.8	17.7	27.9	25.8
-	4SD6/26	1.2"/1.5"/2"	1156	-	594	-	1750	100	95	9	-	19.8	-	28.8
-	4SD6/30	1.2"/1.5"/2"	1326	-	658	-	1984	100	95	10.1	-	21.4	-	31.5
-	4SD6/34	1.2"/1.5"/2"	1464	-	698	-	2162	100	95	11.3	-	23.7	-	35
-	4SD6/38	1.2"/1.5"/2"	1602	-	738	-	2340	100	95	12.4	-	25.5	-	37.9
-	4SD6/42	1.2"/1.5"/2"	1740	-	788	-	2528	100						



DIMENSIONS AND WEIGHT/DIMENSIONES Y PESOS/DIMENSIONS ET POIDS




MODEL MODELO MODÈLE		DN	DIMENSIONS/DIMENSIONES/DIMENSIONS (mm)						N.W(kg)					
1-ph	3-ph	inch	P	M		T		D1	ØD2	P	M		T	
				1-ph	3-ph	1-ph	3-ph				1-ph	3-ph	1-ph	3-ph
4SDM10/5	4SD10/5	1.57/2"	418	359	344	777	762	100	95	3	8.7	8	11.7	11
4SDM10/6	4SD10/6	1.57/2"	456	379	379	835	835	100	95	3.3	9.8	9.8	13.1	13.1
4SDM10/7	4SD10/7	1.57/2"	494	399	379	893	873	100	95	3.6	10.6	9.8	14.2	13.4
4SDM10/8	4SD10/8	1.57/2"	532	424	424	956	956	100	95	3.9	11.7	11.7	15.6	15.6
4SDM10/9	4SD10/9	1.57/2"	570	449	424	1019	994	100	95	4.2	12.9	11.7	17.1	15.9
4SDM10/10	4SD10/10	1.57/2"	608	449	424	1057	1032	100	95	4.5	12.9	11.7	17.4	16.2
4SDM10/11	4SD10/11	1.57/2"	646	502	514	1148	1160	100	95	4.8	15.7	15.7	20.5	20.5
4SDM10/13	4SD10/13	1.57/2"	722	542	514	1264	1236	100	95	5.4	17.7	15.7	23.1	21.1
4SDM10/15	4SD10/15	1.57/2"	798	594	554	1392	1352	100	95	6	19.8	17.7	25.8	23.7
-	4SD10/17	1.57/2"	874	-	594	-	1468	100	95	6.6	-	19.8	-	26.4
-	4SD10/19	1.57/2"	950	-	658	-	1608	100	95	7.2	-	21.4	-	28.6
-	4SD10/21	1.57/2"	1026	-	698	-	1724	100	95	7.8	-	23.7	-	31.5
-	4SD10/24	1.57/2"	1140	-	738	-	1878	100	95	8.7	-	25.5	-	34.2
-	4SD10/27	1.57/2"	1254	-	788	-	2042	100	95	9.6	-	28	-	37.6
-	4SD10/30	1.57/2"	1368	-	848	-	2216	100	95	10.5	-	30	-	40.5
-	4SD10/34	1.57/2"	1520	-	908	-	2428	100	95	11.7	-	34	-	45.7
4SDM12/4	4SD12/4	2"	452	359	344	811	796	100	95	3.1	8.7	8	11.8	11.1
4SDM12/5	4SD12/5	2"	508	379	379	887	887	100	95	3.5	9.8	9.8	13.3	13.3
4SDM12/6	4SD12/6	2"	564	399	379	963	943	100	95	3.8	10.6	9.8	14.4	13.6
4SDM12/7	4SD12/7	2"	620	424	424	1044	1044	100	95	4.2	11.7	11.7	15.9	15.9
4SDM12/8	4SD12/8	2"	676	449	424	1125	1100	100	95	4.6	12.9	11.7	17.5	16.3
4SDM12/10	4SD12/10	2"	819	502	514	1321	1334	100	95	5.4	15.7	15.7	21.1	21.1
4SDM12/12	4SD12/12	2"	931	542	514	1473	1445	100	95	6.1	17.7	15.7	23.8	21.8
4SDM12/14	4SD12/14	2"	1043	594	554	1637	1597	100	95	6.9	19.8	17.7	26.7	24.6
-	4SD12/16	2"	1155	-	594	-	1749	100	95	7.6	-	19.8	-	27.4
-	4SD12/18	2"	1298	-	658	-	1956	100	95	8.4	-	21.4	-	29.8
-	4SD12/20	2"	1410	-	698	-	2108	100	95	9.2	-	23.7	-	32.9
-	4SD12/23	2"	1578	-	738	-	2316	100	95	10.3	-	25.5	-	35.8
-	4SD12/26	2"	1745	-	788	-	2533	100	95	11.4	-	28	-	39.4
-	4SD12/29	2"	1944	-	848	-	2793	100	95	12.6	-	30	-	42.6
-	4SD12/32	2"	2143	-	908	-	3020	100	95	13.7	-	34	-	47.7
4SDM16/4	4SD16/4	2"	502	399	379	901	881	100	95	3.4	10.6	9.8	14	13.2
4SDM16/5	4SD16/5	2"	570	424	424	994	995	100	95	3.8	11.7	11.7	15.5	15.5
4SDM16/6	4SD16/6	2"	639	449	424	1088	1063	100	95	4.3	12.9	11.7	17.2	16
4SDM16/8	4SD16/8	2"	807	502	514	1309	1322	100	95	5.2	15.7	15.7	20.9	20.9
4SDM16/9	4SD16/9	2"	876	542	514	1418	1390	100	95	5.6	17.7	15.7	23.3	21.3
4SDM16/11	4SD16/11	2"	1013	594	554	1607	1567	100	95	6.5	19.8	17.7	26.3	24.2
-	4SD16/12	2"	1081	-	594	-	1675	100	95	7	-	19.8	-	26.8
-	4SD16/14	2"	1218	-	658	-	1876	100	95	7.9	-	21.4	-	29.3
-	4SD16/16	2"	1386	-	698	-	2084	100	95	8.8	-	23.7	-	32.5
-	4SD16/18	2"	1523	-	738	-	2261	100	95	9.7	-	25.5	-	35.2
-	4SD16/20	2"	1660	-	788	-	2448	100	95	10.6	-	28	-	38.6
-	4SD16/23	2"	1897	-	848	-	2745	100	95	11.9	-	30	-	41.9
-	4SD16/25	2"	2034	-	908	-	2942	100	95	12.8	-	34	-	46.8
5SDM10/6	5SD10/6	2"	500	391	386	891	886	125	123	4.6	17.5	16.4	22.1	21
5SDM10/8	5SD10/8	2"	567	451	421	1018	988	125	123	5.1	20.7	19.6	25.8	24.7
5SDM10/10	5SD10/10	2"	635	501	461	1136	1096	125	123	5.5	23.4	22.3	28.9	27.8
-	5SD10/13	2"	737	-	521	-	1258	125	123	6.2	-	27.1	-	33.3
-	5SD10/17	2"	872	-	591	-	1463	125	123	7.6	-	32.5	-	40.1
-	5SD10/21	2"	1008	-	681	-	1689	125	123	9	-	38.5	-	47.5
-	5SD10/28	2"	1245	-	811	-	2056	125	123	11.5	-	45.6	-	57.1
5SDM15/4	5SD15/4	2 1/2"	455	391	386	846	841	125	123	4.5	17.5	16.4	22	20.9
5SDM15/5	5SD15/5	2 1/2"	493	451	421	944	914	125	123	4.9	20.7	19.6	25.6	24.5
5SDM15/7	5SD15/7	2 1/2"	570	501	461	1071	1031	125	123	5.2	23.4	22.3	28.6	27.5
-	5SD15/9	2 1/2"	647	-	521	-	1168	125	123	6.3	-	27.1	-	33.4
-	5SD15/12	2 1/2"	762	-	591	-	1353	125	123	7.4	-	32.5	-	39.9
-	5SD15/15	2 1/2"	877	-	681	-	1558	125	123	8.5	-	38.5	-	47
-	5SD15/20	2 1/2"	1069	-	811	-	1880	125	123	10.3	-	45.6	-	55.9



NIAGARA

DIMENSIONS AND WEIGHT/DIMENSIONES Y PESOS/DIMENSIONS ET POIDS



MODEL MODELO MODÈLE		DN	DIMENSIONS/DIMENSIONES/DIMENSIONS (mm)						N.W(kg)					
1-ph	3-ph	inch	P	M		T		D1	ØD2	P	M		T	
				1-ph	3-ph	1-ph	3-ph				1-ph	3-ph	1-ph	3-ph
5SDM22/4	5SD22/4	2.5"	486	451	421	937	907	125	123	5.2	20.7	19.6	25.9	24.8
5SDM22/5	5SD22/5	2.5"	532	501	461	1033	993	125	123	5.6	23.4	22.3	29	27.9
-	5SD22/7	2.5"	625	-	521	-	1146	125	123	6.1	-	27.1	-	33.2
-	5SD22/9	2.5"	718	-	591	-	1309	125	123	7	-	32.5	-	39.5
-	5SD22/11	2.5"	811	-	681	-	1492	125	123	7.9	-	38.5	-	46.4
-	5SD22/14	2.5"	950	-	811	-	1761	125	123	8.8	-	45.6	-	54.4
5SDM30/3	5SD30/3	2.5"	461	451	421	912	882	125	123	4.9	20.7	19.6	25.6	24.5
5SDM30/4	5SD30/4	2.5"	515	491	461	1006	976	125	123	5.3	23.4	22.3	28.7	27.6
-	5SD30/5	2.5"	569	-	521	-	1090	125	123	5.8	-	27.1	-	32.9
-	5SD30/6	2.5"	623	-	591	-	1214	125	123	6.7	-	32.5	-	39.2
-	5SD30/8	2.5"	731	-	681	-	1412	125	123	7.6	-	38.5	-	46.1
-	5SD30/11	2.5"	893	-	811	-	1704	125	123	8.5	-	45.6	-	54.1
6SDM15/5	6SD15/5	3 1/4"	555	488	488	1043	1043	137	135	7.8	22.5	22.5	30.3	30.3
6SDM15/7	6SD15/7	3 1/4"	635	528	528	1163	1163	137	135	9.3	25.1	25.1	34.4	34.4
6SDM15/9	6SD15/9	3 1/4"	715	578	578	1293	1293	137	135	10.8	28.9	28.9	39.7	39.7
-	6SD15/12	3 1/4"	836	-	638	-	1474	137	135	13.1	-	33.9	-	47
-	6SD15/15	3 1/4"	956	-	698	-	1654	137	135	15.4	-	40.2	-	55.6
-	6SD15/18	3 1/4"	1076	-	763	-	1839	137	135	17.7	-	46.5	-	64.2
-	6SD15/21	3 1/4"	1196	-	823	-	2019	137	135	20	-	53.5	-	73.5
-	6SD15/24	3 1/4"	1317	-	888	-	2205	137	135	22.3	-	60.5	-	82.8
6SDM25/3	6SD25/3	3 1/4"	495	488	488	983	983	137	135	6.8	22.5	22.5	29.3	29.3
6SDM25/4	6SD25/4	3 1/4"	543	528	528	1071	1071	137	135	7.5	25.1	25.1	32.6	32.6
6SDM25/6	6SD25/6	3 1/4"	638	578	578	1216	1216	137	135	9.1	28.9	28.9	38	38
-	6SD25/8	3 1/4"	734	-	638	-	1372	137	135	10.6	-	33.9	-	44.5
-	6SD25/10	3 1/4"	827	-	698	-	1525	137	135	12.1	-	40.2	-	52.3
-	6SD25/12	3 1/4"	922	-	763	-	1685	137	135	13.6	-	46.5	-	60.1
-	6SD25/14	3 1/4"	1016	-	823	-	1839	137	135	15.1	-	53.5	-	68.6
-	6SD25/16	3 1/4"	1111	-	888	-	1999	137	135	16.6	-	60.5	-	77.1
-	6SD25/18	3 1/4"	1206	-	939	-	2145	137	135	18.1	-	68.9	-	99
-	6SD25/20	3 1/4"	1300	-	939	-	2239	137	135	19.6	-	80.9	-	100.5
6SDM35/3	6SD35/3	3 1/4"	528	528	528	1056	1056	137	135	7.1	25.1	25.1	32.2	32.2
6SDM35/4	6SD35/4	3 1/4"	587	578	578	1165	1165	137	135	8	28.9	28.9	36.9	36.9
-	6SD35/6	3 1/4"	703	-	638									